

8 References

Chapter 3: Project Description

- Ackerly, D. D., Morueta-Holme, N., Heller, N., McLaughlin, B., Micheli, L., & Veloz, S. (2016). *Climate Ready Vegetation Report: Marin Landscape Unit*. Prepared by the Terrestrial Biodiversity Climate Change Collaborative, Santa Rosa, CA, 4pp. Retrieved from <http://www.pepperwoodpreserve.org/wp-content/uploads/2016/05/Climate-Ready-Vegetation-Report-Marin-Coast.pdf>
- Anderson, M.K. (2013). *Tending the wild: Native American knowledge and the management of California's natural resources*. University of California Press.
- Bay Area Open Space Council. (2017). Bay Area Protected Areas Database GIS dataset. *Conservation Lands Network*. Berkeley.
- Micheli, L., Flint, A., Kennedy, M., Weiss, S., & Banciforte, R. (2010, December). *Adapting to Climate Change, State of the Science for North Bay Watersheds, A Guide for Managers*.
- Midpen. (2014a). 2014 Vision Plan Conservation Atlas.
- Midpen. (2014b). *Environmental Impact Report for the Integrated Pest Management Program*. Los Altos: Ascent Environmental, Inc.
- Midpen. (2014c, December). Resource Management Policies.
- Midpen. (2014d, February). Regulations for Use of Midpeninsula Regional Open Space District Lands.
- Midpen. (2016a). Sudden Oak Death Observations GIS dataset.
- Midpen. (2016b, July 6). Safety Manual. *Guide to Safe Practices*.
- Midpen. (2018). Vegetation Classification GIS dataset.
- Midpen. (2019a). MROSD Preserve Areas GIS dataset.
- Midpen. (2019b, February 27). Addendum to the Environmental Impact Report. *Integrated Pest Management Program*. Blankinship & Associates, Inc.
- Midpen. (2019c, April 23). Maintenance Operations Manual.

8 REFERENCES

- Midpen. (2020a). Existing Fuels Treatments GIS dataset.
- Midpen. (2020b). Conservation Grazing Areas GIS dataset.
- Midpen. (2020c). Potential VMAs for Enhanced Fire Management GIS dataset.
- Midpen. (2020d). Potential FRAs for Ecosystem Resiliency.
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.
- USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.
- USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.
- USGS. (2020). National Hydrography Dataset.

Section 4.1: Environmental Setting, Impacts, and Mitigation Measures

- Barrington Diesel Club. (2020). Diesel engine power to fuel consumption table - naturally aspirated engines.
- California Department of Conservation. (2012). Farmland Designations for Santa Clara County.
- California Department of Conservation. (2014a). Farmland Designations for San Mateo County.
- California Department of Conservation. (2014b). Farmland Designations for Santa Cruz County.
- CARB. (2012). Advanced Clean Cars Program.
- CARB. (2018). Low Carbon Fuel Standard.
- Midpen. (2011). Resource Management Policies Initial Study/Mitigated Negative Declaration.
- Midpen. (2014, February 12). Regulations for Use of Midpeninsula Regional Open Space District Lands.
- Midpen. (2018, October). Climate Action Plan.
- Midpen. (2019). MROSD Preserve Areas GIS dataset.
- San Mateo County. (1986). San Mateo County General Plan.
- Santa Clara County. (1994). Santa Clara County General Plan Draft Environmental Impact Report.
- Santa Cruz County. (1994). Santa Cruz County General Plan.
- Town of Portola Valley. (2001, April 25). Alpine Scenic Corridor Plan.

8 REFERENCES

USDOE. (2020, February 11). Alternative Fuels Data Center. Average Fuel Economy by Major Vehicle Category.

USEIA. (2020, June). State Energy Consumption Estimates 1960 through 2018.

Section 4.2: Aesthetics

Caltrans. (2019, August). List of Eligible and Officially Designated State Scenic Highways. Retrieved January 27, 2020, from <https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways>

Caltrans. (2020, January). *Scenic Highways - Frequently Asked Questions*. Retrieved January 27, 2020, from <https://dot.ca.gov/programs/design/lap-landscape-architecture-and-community-livability/lap-liv-i-scenic-highways/lap-liv-i-scenic-highways-faq2>

Midpen. (2014a). Scenic Resources GIS datasets. *2014 Vision Plan*.

Midpen. (2014b, December). Resource Management Policies.

Midpen. (2014c). 2014 Vision Plan. *Imagine the Future of Open Space*.

Midpen. (2019). MROSD Preserve Areas GIS dataset.

Midpen. (2020a). *Visit a Preserve*. Retrieved from <https://www.openspace.org/preserves>

Midpen. (2020b). Photos received via email from Coty Sifuentes-Winter.

Panorama Environmental, Inc. (2012). Photographs taken October 30, 2012.

San Mateo County. (1986). Scenic Corridors Map. *San Mateo County General Plan*.

San Mateo County. (2013, January). San Mateo County General Plan Policies.

Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.

Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 5: Conservation and Open Space.

Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.

Town of Portola Valley. (2001, April 25). Alpine Scenic Corridor Plan.

USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.

USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.

8 REFERENCES

Section 4.3: Air Quality

- ATSDR. (2001, September). Toxicological Profile for Asbestos.
- BAAQMD. (2001, October 24). *Revised San Francisco Bay Area Ozone Attainment Plan for the 1-Hour National Ozone Standard*. Retrieved June 6, 2016, from San Francisco Bay Area Air Quality Management Plans:
<http://www.arb.ca.gov/planning/sip/planarea/bayareasip.htm>
- BAAQMD. (2009, October). Revised Draft Options and Justification Report California Environmental Quality Act Thresholds of Significance.
- BAAQMD. (2012, August). Understanding Particulate Matter: Protecting Public Health in the San Francisco Bay Area.
- BAAQMD. (2014). *Improving Air Quality & Health in Bay Area Communities*.
- BAAQMD. (2017a, April 19). 2017 Clean Air Plan. *Spare the Air Cool the Climate A Blueprint for Clean Air and Climate Protection in the Bay Area*.
- BAAQMD. (2017b). CEQA Air Quality Guidelines.
- BAAQMD. (2018). *Annual Bay Area Air Quality Summaries*. Retrieved from
<http://www.baaqmd.gov/about-air-quality/air-quality-summaries>
- BAAQMD. (2019a, July 1). 2018 Air Monitoring Network Plan.
- BAAQMD. (2019b, August 9). Current Rules. Retrieved January 30, 2020, from
<https://www.baaqmd.gov/rules-and-compliance/current-rules>
- Cal/OSHA. (2016, December 19). Table AC-1 Permissible Exposure Limits for Chemical Contaminants.
- CARB. (1998, April 22). *Report to the Air Resources Board on the Proposed Identification of Diesel Exhaust as a Toxic Air Contaminant*.
- CARB. (2000, August 17). Agricultural Burning Emission Factors.
- CARB. (2004). *2004 Revision to the California State Implementation Plan for Carbon Monoxide*.
- CARB. (2011, July 18). *Toxic Air Contaminant Identification List*. Retrieved from
<https://ww3.arb.ca.gov/toxics/id/taclist.htm>
- CARB. (2013). *Almanac Emission Projection Data (published in 2013)*. Retrieved from
<https://www.arb.ca.gov/app/emsinv/2013/emssumcat.php>
- CARB. (2016, May 6). Ambient Air Quality Standards.
- CARB. (2017). EMFAC Web Database. Retrieved from <https://www.arb.ca.gov/emfac/>

8 REFERENCES

- CARB. (2018a). *Top 4 Summary*. Retrieved May 5, 2016, from <http://www.arb.ca.gov/adam/topfour/topfour1.php>
- CARB. (2018b). *Trends Summary: State Ozone Statistics. North Central Coast Air Basin*. Retrieved from <https://www.arb.ca.gov/adam/trends/trends2.php>
- CARB. (2018c, December). *Area Designations Maps: State and National*. Retrieved from <https://ww3.arb.ca.gov/desig/adm/adm.htm>
- CARB. (2018d). *Trends Summary: PM10 Statistics in the North Central Coast Air Basin*. Retrieved from <https://www.arb.ca.gov/adam/trends/trends2.php>
- CARB. (2019, December). *California Code of Regulations - Title 17*. Retrieved from [https://govt.westlaw.com/calregs/Browse/Home/California/CaliforniaCodeofRegulations?s?guid=I38842B20D60511DE88AEDDE29ED1DC0A&originationContext=documenttoc&transitionType=Default&contextData=\(sc.Default\)](https://govt.westlaw.com/calregs/Browse/Home/California/CaliforniaCodeofRegulations?s?guid=I38842B20D60511DE88AEDDE29ED1DC0A&originationContext=documenttoc&transitionType=Default&contextData=(sc.Default))
- CARB. (2020a). *Lead & Health*. Retrieved from <https://ww2.arb.ca.gov/resources/lead-and-health>
- CARB. (2020b, June 17). *Preliminary Estimates of Fire Emissions, 2000-2019*. Retrieved from <https://ww2.arb.ca.gov/wildfire-emissions>
- CARB. (2020c, July 16). *2012 Estimated Annual Average Emissions*. Retrieved from Almanac Emission Projection Data (Published in 2013): <https://www.arb.ca.gov/app/emssinv/2013/emssumcat.php>
- CDC. (2016, March 7). *Appendix C - Supplementary Exposure Limits*. Retrieved July 20, 2017, from <https://www.cdc.gov/niosh/npg/nengapdx.html>
- Haikerwal, A., Reisen, F., Sim, M. R., Abramson, M. J., Meyer, C. P., Johnston, F. H., & Dennekamp, M. (2015). Impact of smoke from prescribed burning: Is it a public health concern? *Journal of Air & Waste Management Association*, 592-598.
- Haston, D. V. (2007, March). *Respirator Usage by Wildland Firefighters*. United States Department of Agriculture National Technology & Development Program.
- Hyde, Josh and Eva K. Strand. (2019, May). *Comparing Modeled Emissions from Wildfire and Prescribed Burning of Post-Thinning Fuel: A Case Study of the 2016 Pioneer Fire*. Department of Forest, Rangeland, and Fire Sciences, College of Natural Resources, University of Idaho.
- Liu, X., Huey, L. G., Yokelson, R. J., Selimovic, V., Simpson, I. J., Müller, M., . . . Day, D. A. (2017). Airborne measurements of western U.S. wildfire emissions: Comparison with prescribed burning and air quality implications. *Journal of Geophysical Research: Atmospheres*, 6108-6129.

8 REFERENCES

- MBARD. (2016, February). Guidelines for Implementing the California Environmental Quality Act.
- MBARD. (2017, March). 2012-2015 Air Quality Management Plan.
- Midpen. (2018). Buildings and Structures GIS dataset.
- Midpen. (2019). MROSD Preserve Areas GIS dataset.
- NCI. (2017, June 7). Asbestos Exposure and Cancer Risk.
- NTP. (2016). Asbestos, CAS No. 1332-21-4. *Report on Carcinogens. Fourteenth Edition*. U.S. Department of Health and Human Services, Public Health Service, National Toxicology Program.
- NWCG. (2018, February). NWCG Smoke Management Guide for Prescribed Fire.
- OSHA. (2016, July 7). *Permitted Exposure Limits/ OSHA Annotated Table Z-1*. Retrieved July 20, 2017, from <https://www.osha.gov/dsg/annotated-pels/tablez-1.html>
- OSHA. (2017). *Permissible Exposure Limits - Annotated Tables*. Retrieved January 20, 2020, from <https://www.osha.gov/dsg/annotated-pels/index.html>
- Ottmar, Roger D. (2013). Wildland fire emissions, carbon, and climate: Modeling fuel consumption. *Forest Ecology and Management*, 41-50.
- Reinhardt, T. E., Ottmar, R. D., & Hanneman, A. J. (2000). *Smoke Exposure Among Firefighters at Prescribed Burns in the Pacific Northwest*. United States Department of Agriculture; Forest Service.
- Robinson, M. S., Anthony, T. R., Littau, S. A., Herckes, P., Nelson, X., Poplin, G. S., & Burgess, J. L. (2008). Occupational PAH Exposures during Prescribed Pile Burns. *Annals of Occupational Hygiene*, 497-508.
- Robinson, M. S., Zhao, M., Zack, L., Brindley, C., Portz, L., Quarterman, M., Herckes, P. (2011). Characterization of PM_{2.5} collected during broadcast and slash-pile prescribed burns of predominately ponderosa pine forests in northern Arizona. *Atmospheric Environment Journal*, 2087-2094.
- San Mateo County. (2013, June). San Mateo County General Plan Energy and Climate Change Element.
- Santa Clara County. (2015, August 25). Santa Clara County General Plan Health Element.
- Santa Cruz County. (1994, May). Santa Cruz County General Plan: Conservation and Open Space.

8 REFERENCES

- Sharkey, B. (1997, April). Health Hazards of Smoke: Recommendations of the Consensus Conference. USFS.
- Story, M., & Dzubba, T. (2005, November 10). Smoke NEPA Guidance. *Describing Air Resources Impacts from Prescribed Fire on National Forests & Grasslands of Montana, Idaho, North Dakota, & South Dakota in Regions 1 & 4*. United States Department of Agriculture; Forest Service.
- Teale Data Center GIS Lab; updated by California Air Resources Board, Planning and Technical Support Division. (2004). California Air Districts GIS dataset.
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.
- U.S. Census Bureau. (2019, July). QuickFacts. *Monterey County; San Benito County; Santa Cruz County*.
- Urbanski, S. (2014). Wildland fire emissions, carbon and climate: Emission factors. *Forest Ecology and Management*, 51-60.
- USEPA. (1996a, October). 3.3 Gasoline and Diesel Industrial Engines. *Stationary Internal Combustion Sources*.
- USEPA. (1996b, October). 13.1 Wildfires and Prescribed Burning.
- USEPA. (2006, November). 13.2.2 Unpaved Roads.
- USEPA. (2008, July). 1.5 Liquefied Petroleum Gas Combustion. *External Combustion Sources*.
- USEPA. (2011, January). 13.2.1 Paved Roads.
- USEPA. (2016, December). Integrated Review Plan for the National Ambient Air Quality Standards for Particulate Matter.
- USEPA. (2018a, March 8). *Criteria Air Pollutants*. Retrieved January 20, 2020, from <https://www.epa.gov/criteria-air-pollutants>
- USEPA. (2018b, July 18). *Final Rule for Control of Hazardous Air Pollutants*. Retrieved January 20, 2020
- USFS. (2013, June). Chips Fire Review. *Plumas National Forest*. USDA Forest Service.
- USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.
- USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.
- WHO. (2012). Arsenic, Metals, Fibres, and Dusts A Review of Human Carcinogens. IARC Monographs - 100C.

8 REFERENCES

- WHO. (2018, May 2). *Ambient (outdoor) air quality and health*. Retrieved from [https://www.who.int/news-room/fact-sheets/detail/ambient-\(outdoor\)-air-quality-and-health](https://www.who.int/news-room/fact-sheets/detail/ambient-(outdoor)-air-quality-and-health)
- WRCC. (2015, January 31). Woodside Fire Station 1, California (049792) Period of Record Monthly Climate Summary.

Section 4.4: Biological Resources

- Agee J.K. (1998). The landscape ecology of western forest fire regimes. *Northwest Sci* 72:24-34.
- Alba C., Skalova, H., McGregor, K.F., D'Antonio, C., Pysek, P. (2015). Native and exotic plant species respond differently to wildfire and prescribed fire as revealed by meta-analysis. *Journal of Vegetation Science* 26:102–113.
- Allen-Diaz, B., Jackson, R. D., Bartolome, J. W., Tate, K. W., & Oates, L. G. (2004). Long-term grazing study in spring-fed wetlands reveals management tradeoffs. *California Agriculture*, 144-148.
- APLIC and USFWS. (2005, April). Avian Protection Plan Guidelines. April 2005.
- Baldwin, B.G., D.H. Goldman, D. J. Keil, R. Patterson, T.J. Rosatti, and D.H. Wilken, editors. (2012). *The Jepson manual: vascular plants of California*, second edition. University of California Press, Berkeley.
- Bartolome, J.W., McClaran M.P., Allen-Diaz, B. H., Dunne, J., Ford, L.D., Standiford, R., Mcdougald, N., Forero, L.C. (2002). Effects of Fire and Browsing on Regeneration of Blue Oak. Pages 281-286 in *Proceedings of the fifth symposium on oak woodlands: oaks in California's changing landscape*. 2001 October 22-25; San Diego, CA. Gen. Tech. Rep. PSW-GTR-184. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture; 846 pp.
- Baum, K. A., & Sharber, W. V. (2012). Fire creates host plant patches for monarch butterflies. *biology letters*, 968-971.
- Beche L.A., Stephens, S.L., Resh, V.H. (2005). Effects of prescribed fire on a Sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management* 218:37–59.
- Benefield C.B., DiTomaso, J.M., Kyser, G.B., Orloff, S.B., Churches, K.R., Marcum, D., Nader, G.A. (1999). Success of mowing to control yellow starthistle depends on timing and plant's branching form. *California Agriculture* 53(2):17-21.
- Binkley D. and Brown, T.C. (1993). Forest practices as nonpoint sources of pollution in North America. *Water Resources Bulletin* 29:729-740.

8 REFERENCES

- Boerner R.E.J. (2009). Impacts of fire and fire surrogate treatments on forest soil properties: A meta-analytical approach. *Ecological Applications* 19:338–358.
- Brabb, E.E., Graymer, R.W. and Jones, D.L. (2000). Geologic Map and Map Database of the Palo Alto 30' x 60' Quadrangle, California. Miscellaneous Field Map Studies Map MF-2332 U.S. Geological Survey.
- Brown J.K. and Smith, J.L. (2000, December). Wildland fire in ecosystems: effects of fire on flora. Gen. Tech. Rep. RMRS-GTR-42-vol. 2. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 257 pp.
- Brown, G.W. (1983). Forestry and water quality, 2nd Edition. College of Forestry. Oregon State University. Corvallis, OR.
- Burrow, A.L., Kazmaier, R.T., Hellgren, E.C., & Donald C. Ruthven, I. (2002). The Effects of Burning and Grazing on Survival, Home Range, and Prey Dynamics of the Texas Horned Lizard in a Thornscrub Ecosystem.
- California Oak Mortality Task Force [website]. (2020). Available at: <<http://www.suddenoakdeath.org/>>. (Accessed June 21, 2020).
- California Oak Mortality Task Force. (2014a). Sudden Oak Death Guidelines for Forestry. 4 pp. Available at: <<http://www.suddenoakdeath.org/>>. (Accessed June 21, 2020).
- California Oak Mortality Task Force. (2014b). Sudden Oak Death Guidelines for Arborists. 6 pp. Available at: <<http://www.suddenoakdeath.org/>>. (Accessed June 21, 2020).
- Cal-IPC. (2020). The Cal-IPC Inventory. Retrieved from <https://www.cal-ipc.org/plants/inventory/>
- Carpenter, J. K., Monks, J. M., & Nelson, N. (2016). The effect of two glyphosate formulations on a small, diurnal lizard (*Oligosoma polychroma*). *Ecotoxicology*.
- Castelle A.J., Johnson A.W., Conolly, C. (1994). Wetland and Stream Buffer Size Requirements—A Review. *J. Environ. Qual.* 23:878-882.
- CBI. (2000). Review of potential edge effects on the San Fernando Valley spineflower (*Chorizanthe parryi* var. *fernandina*). Unpublished report prepared for Ahmanson Land Company, West Covina, California, by CBI, San Diego, California.
- CCH1. (2019). Consortium database: Data provided by the participants of the Consortium of California Herbaria. Accessed from <http://ucjeps.berkeley.edu/consortium/>.
- CCH2. (2019). Consortium database: Data provided by the participants of the Consortium of California Herbaria. Accessed from <http://www.cch2.org/portal/index.php>.

8 REFERENCES

- CDFA and CALIWAC. (2005). California Noxious & Invasive Weed Action Plan. California Dept. of Food and Agriculture, Sacramento, CA.
- CDFW and CNPS. (2019). CDFW-CNPS Protocol for the Combined Vegetation Rapid Assessment and Relevé Field Form. Available at: <<https://www.cnps.org/wp-content/uploads/2019/03/veg-releve-field-protocol.pdf>>. (Accessed June 29, 2020).
- CDFW. (1990). California Wildlife Habitat Relationships System. Dusky-Footed Woodrat.
- CDFW. (2019, November 8). California Natural Community List. Retrieved from <https://www.wildlife.ca.gov/Data/VegCAMP/Natural-Communities>
- CDFW. (2020a). California Natural Diversity Database Special Status Wildlife GIS data.
- CDFW. (2020b). State and Federally Listed Endangered, Threatened and Rare Plants of California. California Natural Diversity Database. Wildlife and Habitat Data Analysis Branch.
- CDFW. (2020c). Special Vascular Plants, Bryophytes, Lichens List. California Natural Diversity Database. Habitat Conservation Division. Wildlife and Habitat Data Analysis Branch. California Interagency Wildlife Task Group.
- Clark, L. A., Roloff, G. J., Tatum, V. L., & Irwin, L. L. (2009, December). Forest Herbicide Effects on Pacific Northwest Systems: A Literature Review. Technical Bulletin No. 970. National Council for Air and Stream Improvement.
- Clement, J.P., Belin, A., Bean M.J., Boling, T.A., Lyons, J.R. (2014, April). A strategy for improving the mitigation policies and practices of the Department of the Interior. A report to the Secretary of the Interior from the Energy and Climate Change Task Force, Washington, D.C., 25 pp.
- CNPS. (2020a). A Manual of California Vegetation Online. Retrieved from <http://vegetation.cnps.org/>
- CNPS. (2020b). CNPS Inventory of Rare and Endangered Plants of California. Retrieved from <https://www.cnps.org/rare-plants/cnps-inventory-of-rare-plants#:~:text=The%20CNPS%20Inventory%20of%20Rare,acquisition%20and%20management%20in%20California.>
- CNPS. (2020c). Field Protocols and Guidelines. Sacramento, CA. Available from <http://rareplants.cnps.orghttps://www.cnps.org/plant-science/field-protocols-guidelines>
- Corelli, T and Z. Chandik. (1995). The Rare and Endangered Plants of San Mateo and Santa Clara County. Monocot Press. 139 pp.

8 REFERENCES

- D'Antonio C, S Bainbridge, C Kennedy, J Bartolome, S Reynolds. (2002). Ecology and restoration of California grasslands with special emphasis on the influence of fire and grazing on native grassland species. Report to the Packard Foundation. 99 pp.
- D'Antonio CM, PM Vitousek. (1992). Biological Invasions by Exotic Grasses, the Grass/Fire Cycle, and Global Change. *Annual Review of Ecology and Systematics* 23:63-87.
- D'Antonio, C., Bainbridge, S., Kennedy, C., Bartolome, J., Reynolds, S. (2002). Ecology and restoration of California grasslands with special emphasis on the influence of fire and grazing on native grassland species. Report to the Packard Foundation. 99 pp.
- Denslow, J.S. (1985). Disturbance-mediated coexistence of species. *The Ecology of Natural Disturbance and Patch Dynamics* (eds. S.T.A. Pickett & P.S. White), pp. 307- 323. Academic Press Inc., Orlando, FL.
- DiTomaso, J.M., Kyser G.B., and Hastings, M.S. (1999). Prescribed burning for control of yellow starthistle (*Centaurea solstitialis*) and enhanced native plant diversity. *Weed Science* 47:233–242.
- Dutta H. (2018). Insights into the phenomenon of alien plant invasion and its synergistic interlinkage with three current ecological issues. *Journal of Asia-Pacific Biodiversity* 11:188-198.
- Dwire K.A., Rhoades, C.C., Young, M.K. (2010). Potential Effects of Fuel Management Activities on Riparian Areas. Chapter 10 in Elliot WJ, IS Miller, L Audin (eds). Cumulative watershed effects of fuel management in the western United States. Gen. Tech. Rep. RMRS-GTR-231. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Dwire, K.A., Meyer, K.E, Riegel, G., Burton, T. (2016). Riparian fuel treatments in the western USA: Challenges and considerations. Gen. Tech. Rep. RMRS-GTR-352. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 156 pp.
- Egan, J. F., Bohnenblust, E., Goslee, S., Mortensen, D., & Tooker, J. (2014). Herbicide drift can affect plant and arthropod communities. *Agriculture, Ecosystems & Environment*, 77-87.
- Eliason, S.A., Allen, E.B. (1997). Exotic grass competition in suppressing native shrubland re-establishment. *Restoration Ecology* 5:245-255.
- Fusco, E. J., Finn, J. T., Balch, J. K., Ragy, R. C., & Bradley, B. A. (2019). Invasive grasses increase fire occurrence and frequency across US ecoregions. *Proceedings of the National Academy of Sciences of the United States of America*, 23594-23599.
- Gordon, D.R., Rice, K.J. (2000). Competitive suppression of *Quercus douglasii* (Fagaceae) seedling emergence and growth. *American Journal of Botany* 87:986-994.

8 REFERENCES

- Griffith, G., Omernik, J., Smith, D., & Cook, T. (2016). Ecoregions of California (poster): U.S. Geological Survey Open-File Report 2016–1021, with map, scale 1:1,100,000. Retrieved from <https://pubs.er.usgs.gov/publication/ofr20161021>
- Gurevitch, J. and Padilla, D.K. (2004). Are invasive species a major cause of extinctions? *Trends in Ecology and Evolution* 19:470-474.
- Haidinger, T.L., and Keeley, J.E. (1993). Role of high fire frequency in destruction of mixed chaparral. *Madroño* 40:141–147.
- Halpern, C.B., Antos, J.A., Beckman, L.M. (2014). Vegetation recovery in slash pile scars following conifer removal in a grassland restoration experiment. *Restoration Ecology*. 22:731–740.
- Halstead, B. J., Thompson, M. E., Amarello, M., Smith, J. J., Wylie, G. D., Routman, E. J., & Casazza, M. L. (2018). Effects of prescribed fire on San Francisco gartersnake survival and movement. *The Journal of Wildlife Management*, 231-240.
- Halstead, B. J., Wylie, G. D., Amarello, M., Smith, J. J., Thompson, M. E., Routman, E. J., & Casazza, M. L. (2011). Demography of the San Francisco Gartersnake in Coastal San Mateo County, California. *Journal of Fish and Wildlife Management*, 41-48.
- Harper, K.A., S.E. Macdonald, P.J. Burton, et al. 2005. Edge influences on forest structure and composition in fragmented landscapes. *Conservation Biology* 19(3):768-782.
- Harrison, S., Inouye, B. D., Safford, H. D. (2003). Ecological Heterogeneity in the Effects of Grazing and Fire on Grassland Diversity. *Conservation Biology*, 837-845.
- Hébert, P. N., & Golightly, R. T. (2006, May). Movements, Nesting, and Response to Anthropogenic Disturbance of Marbled Murrelets (*Brachyramphus marmoratus*) in Redwood National and State Parks, California. Humboldt State University; CDFW.
- Hironaka M. and Tisdale, E.W. (1963). Secondary succession in annual vegetation in southern Idaho. *Ecology* 44:810-812
- Hobbs R.J. and Huenneke, L. (1992). Disturbance, diversity, and invasion: implications for conservation. *Conservation Biology* 6:324–337.
- Holland, R. F. (1986). Preliminary Descriptions of the Terrestrial Natural Communities of California. Sacramento, California: Department of Fish and Game.
- Holland, V., & Keil, D. J. (1995). *California Vegetation*. Dubuque, Iowa: Kendall/Hunt Publishing Company.
- Huenneke, L.F., Hamburg, S.P., Koide, R., Mooney, H.A., Vitousek, P.M. (1990). Effects of Soil Resources on Plant Invasion and Community Structure in Californian. *Ecological Society of America*, 478-491.

8 REFERENCES

- ICF International. 2012. Final Santa Clara Valley Habitat Plan. Prepared for the City of Gilroy, City of Morgan Hill, City of San Jose, County of Santa Clara, Santa Clara Valley Transportation Agency, and Santa Clara Valley Water District. August 2012.
- ICF International. (2019). Santa Clara County Regional Conservation Investment Strategy. Prepared for the Santa Clara Valley Open Space Authority.
- Jackson, R.D., Allen-Diaz, B., Oates, L.G., Tate, K. W. (2006). Spring-water Nitrate Increased with Removal of Livestock Grazing in a California Oak Savanna. *Ecosystems*, 254-267.
- Keeley J.E., Franklin, J., D'Antonio, C. (2011). Fire and Invasive Plants on California Landscapes. Chapter 8 in D. McKenzie et al. (eds.). *The Landscape Ecology of Fire*, Ecological Studies 213. Springer Science+Business Media B.V.
- Keeley J.E., Lubin, D., Fotheringham, C.J. (2003). Fire and grazing impacts on plant diversity and alien plant invasions in the southern Sierra Nevada. *Ecological Applications* 13(5):1355-1374.
- Keeley J. E. , J. Franklin, C D'Antonio. (2011). Fire and Invasive Plants on California Landscapes. Chapter 8 in D. McKenzie et al. (eds.). *The Landscape Ecology of Fire*, Ecological Studies 213. Springer Science+Business Media B.V.
- Keeley JE. (2002a). Native American impacts on fire regimes of the California coastal ranges. *Journal of Biogeography* 29:303–320.
- Keeley, J.E. (2002b). Fire management of California shrublands. *Environmental Management* 29:395–408.
- Keeley, J.E. (2006). Fire management impacts on invasive plants in the Western United States. *Conservation Biology* 20(2):375-384.
- Keeley, J.E., Brennan, T., Pfaff, A.H. (2008). Fire severity and ecosystem responses following crown fires in California shrublands. *Ecological Applications* 18:1530–1546.
- Kephart, P. (2001). Resource Management Demonstration at Russian Ridge Preserve. *Grasslands* 11:1, 8-11.
- King, J. J., & Wagner, R. S. (2010). Toxic Effects of the Herbicide Roundup Regular on Pacific Northwestern Amphibians. *Northwestern Naturalist*, 318-324.
- Klinger RC, ML Brooks, JM Randall. 2006. Fire and invasive plant species. In *Fire in California's ecosystems*, eds. N.G. Sugihara, J.W. van Wagtendonk, K.E. Shaffer, J. Fites-Kaufman, and A.E. Thoede, 499–519. Berkeley: University of California Press.
- Kruckeberg, A.R. (1984). *California Serpentine: Flora, Vegetation, Geology, Soils, and Management Problems*. University of California Press.

8 REFERENCES

- Lambert, A. M., D'Antonio, C. M., & Dudley, T. L. (2010). Invasive Species and Fire in California Ecosystems. *Fremontia*, 29-36.
- Lathrop, E.W. (1983). Recovery of perennial vegetation in military maneuver areas. pp. 265- 277 in Webb RH and HG Wilshire, eds. *Environmental Effects of Off- Road Vehicles: Impacts and Management in Arid Regions*. Springer-Verlag, New York, NY.
- Maron, J.L., Jefferies, R.L. (2001). Restoring Enriched Grasslands: Effects of Mowing on Species Richness, Productivity, and Nitrogen Retention. *Ecological Applications* 11(4):1088-1100.
- Marty, J. T. (2005). Effects of Cattle Grazing on Diversity in Ephemeral Wetlands. *Society for Conservation Biology*, 1626-1632.
- Marty, J.T. (2015). Fire Effects on Plant Biodiversity Across Multiple Sites in California Vernal Pool Grasslands. *Ecological Restoration* 33(3):266-273.
- Menke, J.W. (1992). Grazing and Fire Management for Native Perennial Grass Restoration in California Grasslands. *Fremontia*, 22-25.
- Merriam, K. E., Keeley, J. E., & Beyers, J. L. (2007). The Role of Fuel Breaks in the Invasion of Nonnative Plants. USGS.
- Merriam, K. E., Keeley, J. E., Beyers, J. L. (2006). Fuel breaks affect nonnative species abundance in Californian plant communities. *Ecological Applications*, 515-527.
- Midpen. (2014a). 2014 Vision Plan Conservation Atlas.
- Midpen. (2014b, December). Resource Management Policies.
- Midpen. (2014c). Environmental Impact Report for the Integrated Pest Management Program. Los Altos: Ascent Environmental, Inc.
- Midpen. (2018). Vegetation Classification GIS dataset.
- Midpen. (2019a). MROSD Preserve Areas GIS dataset.
- Midpen. (2019b). Nesting Birds and Rare Plant Avoidance Presentation.
- Moehring, D.M., Grano, C.X., Bassett J.R. (1966). Properties of forested loess soils after repeated prescribed burns. US Department of Agriculture Forest Service, Southern Forest Experiment Station. Research Note no. SO-RN-40.
- Mordecai, E.A., N.A. Molinari, K.A. Stahlheber, K. Gross, and C. D'Antonio. (2015). Controls over native perennial grass exclusion and persistence in California grasslands invaded by annuals. *Ecology* 96(10):2643-2652.
- Moritz, M.A. and Odion, D.C. (2005). Examining the strength and possibly causes of the relationship between fire history and sudden oak death. *Oecologia* 144:106–114.

8 REFERENCES

- National Marine Fisheries Service (NOAA Fisheries). (2005). Steelhead Trout Critical Habitat GIS dataset.
- Natural Resources Database. (2019). Compilation of observations of flora and fauna made at open space and nature preserves and parks in the greater San Francisco Bay Area. May 30, 2019 Update. Accessed April 2020. <http://nrdb.org>
- Nature Serve. (2020). Interpreting Nature Serve Conservation Stats Ranks. NatureServe Explorer [Online] and NatureServe Central Databases, Arlington, VA. Available <http://www.natureserve.org/explorer/>
- Neary DG, KC Ryan, LF DeBano (eds.). (2005, revised 2008). Wildland fire in ecosystems: effects of fire on soils and water. Gen. Tech. Rep. RMRS-GTR-42-vol.4. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 250 pp.
- NOAA Fisheries. (1999). Designated Critical Habitat; Central California Coast and Southern Oregon/Northern California Coasts Coho Salmon; Final Rule and Correction. FR Doc. 99-11187. 50 CFR. Part 226. Vol. 64. No. 86: pp. 24049-24062. May 5, 1999
- NOAA Fisheries. (2005a). Steelhead Trout Critical Habitat GIS dataset.
- NOAA Fisheries. (2005b). Endangered and Threatened Species: Designation of Critical Habitat for Seven Evolutionarily Significant Units of Pacific Salmon and Steelhead in California; Final Rule. FR Doc. 05-16389. Part II. 50 CFR. Part 226. Vol. 70. No. 170: pp. 52488-52627. September 2, 2005.
- NOAA Fisheries. (2009). Endangered and Threatened Wildlife and Plants: Final Rulemaking to Designate Critical Habitat for the Threatened Southern Distinct Population Segment of North American Green Sturgeon; Final Rule. FR Doc. E9-24067. 50 CFR. Part 226. Vol. 74. No. 195: pp. 52300-52351. October 9, 2009.
- Open Space Council. (2019). The Conservation Lands Network 2.0. A regional conservation strategy for the San Francisco Bay Area.
- Parsons, D.J. and Stohlgren, T.J. (1989). Effects of varying fire regimes on annual grasslands in the southern Sierra Nevada of California. *Madrono* 36(3):154-168.
- Pausas, J.G., Bradstock, R.A., Keith, D.A., Keeley, J.E., and the GCTE Fire Network. (2004). Plant functional traits in relation to fire in crown-fire ecosystems. *Ecology* 85:1085–1100.
- Pettit NE, RJ Naiman. (2007). Fire in the Riparian Zone: Characteristics and Ecological Consequences. *Ecosystems* 10:673-687.
- Pollack, O. and Kan, T. (1998). The use of prescribed fire to control invasive exotic weeds at Jepson Prairie Preserve. Pages 241-249 in Witham, C.W., E.T. Bauder, D. Belk, W.R. Ferren, Jr. and R. Ornduff, editors. *Ecology, conservation, and management of vernal*

8 REFERENCES

- pool ecosystems - proceedings from a 1996 conference. California Native Plant Society, Sacramento, USA.
- Prose, D.V., Metzger, S.K., Wilshire, H.G. (1987). Effects of substrate disturbance on secondary plant succession: Mojave Desert, California. *Journal of Applied Ecology* 24:305-313.
- Rhoades, C.C., Fornwalt, P.J., Paschke, M.W., Shanklin A.J., Jonas, J.L. (2015). Recovery of small pile burn scars in conifer forests of the Colorado Front Range. *Forest Ecology and Management* 347:180-187.
- Rice, P. M., & Smith, J. K. (2008). Chapter 4: Use of fire to manage populations of nonnative invasive plants. In K. Zouhar, J. K. Smith, S. Sutherland, & M. L. Brooks, *Wildland fire in ecosystems: fire and nonnative invasive plants*. Gen. Tech. Rep. RMRS-GTR-42-vol. 6 (pp. 47-60). U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.
- Safford, H. D. and Mallek, C. R. (2011). Disturbance and Diversity in Low-Productivity Ecosystems. In S. Harrison, *Serpentine: The Evolution and Ecology of a Model System* (pp. 249-274).
- San Mateo County. (2013, January). San Mateo County General Plan Policies.
- Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.
- Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 5: Conservation and Open Space.
- Sawyer JO, T Keeler-Wolf, JM Evens. (2009). *A Manual of California Vegetation*, Second Edition. California Native Plant Society, Sacramento, California. 1300 pp.
- Schultz, A.M., Launchbaugh, J.L., Biswell, H.H. (1955). Relationship between grass density and brush seedling survival. *Ecology* 36(2):226-238.
- Schwilk D.W., Keeley, J.E., Knapp, E.E., Mciver, J., Bailey, J.D., Fettig, C.J., Fiedler, C.E., Harrod, R.J., Moghaddas, J.J., Outcalt, Skinner, C.N. (2009). The National Fire and Fire Surrogate study: Effects of fuel reduction methods on forest vegetation structure and fuels. *Ecological Applications* 19:285–304.
- Seabloom, E.W., Borer, E.T., Boucher, V.L. Burton, V.L., Cottingham, R.S., Goldwasser, L., Gram, W.K., Kendall, B.E., Micheli, F. (2003). Competition, Seed Limitation, Disturbance, and Reestablishment of California Native Annual Forbs. *Ecological Applications* 13(3):575–592.
- Second, A. L., Major, A., Patnode, K., & Sparks, D. W. (2015, August). Evaluation of the Potential Role of Environmental Contaminants in Significant Bat Mortality in

8 REFERENCES

- Conjunction with White-Nose Syndrome (WNS) in the Northeastern United States. USFWS.
- Shirk, Z. (2010). Herbicides and Amphibian Populations. Theses Literature Review.
- Sommers, W. T., Coloff, S. G., & Conard, S. G. (2011). Synthesis of Knowledge: Fire History and Climate Change. Joint Fire Science Program.
- State Water Resources Control Board. (2019). State Wetland Definition and Procedures for Discharges of Dredged or Fill Material to Waters of the State. Staff Report Including the Substitute Environmental Documentation. 234 pp.
- Stehr, C. M., Linbo, T. L., Baldwin, D. H., Scholz, N. L., & Incardona, J. P. (2009). Evaluating the Effects of Forestry Herbicides on Fish Development Using Rapid Phenotypic Screens. *North American Journal of Fisheries Management*, 975–984.
- Stephens S.L., McIver, J.D., Boerner, R.E.J. (2012). The Effects of Forest Fuel-Reduction Treatments in the United States. *BioScience* 62:549-560.
- Stromberg MR, CM D'Antonio, TP Young, J Wirka, PR Kephart. (2007). California Grassland Restoration. Chapter 21 in M Stromberg, J Corbin, CM D'Antonio (eds). *California Grasslands: Ecology and Management*. Univ. Calif. Press, Oakland (CA).
- Stylinski C.D. and Allen, E.B. (1999). Lack of native species recovery following severe exotic disturbance in Southern California shrublands. *Journal of Applied Ecology* 36:544–554.
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. ESRI® Data & Maps: StreetMap™. ESRI.
- The Xerces Society. (2017). Protecting California's Butterfly Groves: Management Guidelines for Monarch Butterfly Overwintering Habitat. 32+vi pp. Portland, OR: The Xerces Society for Invertebrate Conservation.
- The Xerces Society. (2019). Western Monarch Count Instructions. <https://www.westernmonarchcount.org/downloads/>
- Theoharides, K.A. and Dukes J.S. (2007). Plant invasion across space and time: factors affecting nonindigenous species success during four stages of invasion. *New Phytologist* 176:256-273.
- Thomas, J.H. 1961. *Flora of the Santa Cruz Mountains of California*. Stanford University Press.
- Thompson, I., Mackey, B., McNulty, S., Mosseler, A. (2009). Forest Resilience, Biodiversity, and Climate Change. A synthesis of the biodiversity/resilience/stability relationship in forest ecosystems. Secretariat of the Convention on Biological Diversity, Montreal. Technical Series no. 43. 67 pp.

8 REFERENCES

- Thorne, C.R. (1990). Effects of vegetation on riverbank erosion and stability. In: J.B. Thornes (Ed.). *Vegetation and erosion: Processes and environments*. John Wiley and Sons. Chichester, UK:125-144.
- U.S. Department of the Interior. (2013). *Invasive Species Management*. Statement for the Record: U.S. Department of the Interior
- USACE. (2010). *Guidelines for Preparing a Compensatory Mitigation Plan*. USACE, Charleston District.
- USACE. (2012). *Uniform Performance Standards for Compensatory Mitigation Requirements*. 12505-SP. Regulatory Program, South Pacific Division USACE.
- USACE. (2015). *Final 2015 Regional Compensatory Mitigation and Monitoring Guidelines for South Pacific Division USACE*.
- USACE. (2017). *Standard Operating Procedure for Determination of Mitigation Ratios*. Regulatory Program, South Pacific Division USACE.
- USDA. (1997). *Ecoregions of California*.
- USFWS. (2010). *Endangered and Threatened Wildlife and Plants; Revised Designation of Critical Habitat for California Red-Legged Frog*. FR Doc. 2010-4656. 50 CFR. Part 17. Vol. 75. No. 51: pp. 12816-12959. March 17, 2010.
- USFWS. (2011). *Endangered and Threatened Wildlife and Plants; Revised Critical Habitat for the Marbled Murrelet*. FR Doc. 2011-25583. 50 CFR. Part 17. Vol. 76. No. 193: pp. 61559-61621. October 5, 2011.
- USFWS. (2015). *Critical Habitat*.
- USFWS. (2016). *Endangered and Threatened Wildlife and Plants; Endangered Species Act Compensatory Mitigation Policy*. 81 FR 61031.
- USFWS. (2019a). *Critical Habitat GIS dataset*.
- USFWS. (2019b). *National Wetlands Inventory GIS Geodatabase*.
- USGS. (2013). *USGS NED 1/3 Arc Second DEM Raster dataset*.
- USGS. (2016). *National Hydrography Dataset Waterbodies GIS dataset*.
- Vitousek, P. (1990). Biological invasions and ecosystem processes: towards an integration of population biology and ecosystem studies. *Oikos* 57:7–13.
- Waaland, M.E. and Allen, E.B. (1987). Relationships between VA mycorrhizal fungi and plant cover following surface mining in Wyoming. *Journal of Range Management* 40:271-276.

8 REFERENCES

- Wentworth, C.M., Blake Jr, M.C., McLaughlin, R.J., and Graymer, R.W. (1999). Preliminary Geologic Map of the San Jose 30 X 60-Minute Quadrangle, California: A Digital Database. Open File Report 98-795. U.S. Geological Survey.
- Young, S.L. and Claassen, V.P. (2008). Release of Roadside Native Perennial Grasses following Removal of Yellow Starthistle. *Ecological Restoration* 26(4):357-364.
- Zouhar, K., Smith, J. K., Sutherland, S., & Brooks, M. L. (2008). Wildland fire in ecosystems: fire and nonnative invasive plants Gen. Tech. Rep. RMRS-GTR-42-vol. 6. U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.

Section 4.5: Cultural and Tribal Cultural Resources

- Allen, R. (1999). Upgrade of the Guadalupe Parkway, San Jose. Historic Properties Treatment Plan. MS on file, S-22066, CHRIS/NWIC, Sonoma State University, Rohnert Park.
- Arbuckle, C. and Rambo, R. (1968). Santa Clara County Ranchos (cartography and illustrations by Ralph Rambo). The Rosicrucian Press, Ltd., San Jose.
- Beck, W.A. and Haase Y.D. (1974). Historical Atlas of California (Third printing, 1977). University of Oklahoma Press, Norman.
- Broek, J.O.M. (1932). The Santa Clara Valley, California: A Study in Landscape Changes. N.V.A. Oosthoek's Utig. Maatij., Utrecht.
- Brown, A.K. (1975). Place Names of San Mateo County. San Mateo County Historical Association, College of San Mateo Campus, San Mateo.
- Elsasser, A. B. (1978). Development of Regional Prehistoric Cultures. In *California*, edited by R.F. Heizer, Volume 8. Handbook of North American Indians, W.G. Sturtevant, general editor, pp. 37-57. Smithsonian Institution, Washington, D.C.
- Findlay, J. M. (1985). From Llano de los Robles to Silicon Valley: Culture and Society in the Santa Clara Valley, 1769-1980. In *A Judicial Odyssey: Federal Courts in Santa Clara, San Benito, Santa Cruz, and Monterey Counties*, edited by C.G. Fritz, M. Griffith and J.M. Hunter, pp. 3-19. Advisory Committee, San Jose Federal Court, San Jose.
- Hart, J.D. (1987). *A Companion to California* (New edition, revised and expanded). University of California Press, Berkeley.
- Hendry, G.W. and Bowman, J.N. (1940). The Spanish and Mexican Adobe and Other Buildings in the Nine San Francisco Bay Counties, 1776 to about 1850 (including map of San Mateo County). MS on file, Bancroft Library, University of California, Berkeley.
- Hoover, M.B., Rensch, H.E, and Rensch E.G. (1966). *Historic Spots in California* (Third edition). Revised by William N. Abeloe. Stanford University Press, Stanford.

8 REFERENCES

- Hughes, R. E. (1994). Toward a New Taxonomic Framework for Central California Archaeology: Essays by James A. Bennyhoff and David A. Fredrickson. Contributions of the University of California Archaeological Research Facility 52.
- Hylkema, M. G. (1991). Prehistoric Native American Adaptations along the Central Coast of San Mateo and Santa Cruz Counties. M.A. thesis, San Jose State University. Coyote Press, Salinas. MS on file, S-13597, CHRIS/NWIC, Sonoma State University, Rohnert Park.
- Hylkema, M. G. (2002). Tidal Marsh, Oak Woodlands, and Cultural Florescence in the Southern San Francisco Bay Region. In Catalysts to Complexity: Late Holocene Societies of the California Coast, edited by J.M. Erlandson and T.L. Jones, Perspectives in California Archaeology 6:233-262.
- Hynding, A. (1982). From Frontier to Suburb, The Story of The San Mateo Peninsula. Star Publishing Company, Belmont.
- Jacobson, Y. (2001). Passing Farms, Enduring Values: California's Santa Clara Valley (second edition). California History Center, De Anza College, Cupertino.
- James, W.F. and McMurry G.H. (1933). History of San Jose, California, Narrative and Biographical. A.H. Cawston, San Jose.
- Jones, T. L. and Klar K. A. (2007). California Prehistory: Colonization, Culture, and Complexity. Altamira Press, New York.
- Levy, R. (1978). Costanoan. In California, edited by R.F. Heizer, Volume 8. Handbook of North American Indians, W.G. Sturtevant, general editor, pp. 485-497. Smithsonian Institution, Washington, D.C.
- Margolin, M. (1978). The Ohlone Way: Indian Life in the San Francisco - Monterey Bay Area. Heyday Books, Berkeley.
- Midpen. (n.d.). Confidential Cultural GIS and In-House Records. Information managed by Aaron Herber, Senior Resource Management Specialist, Los Altos.
- Midpen. (2014a, December). Resource Management Policies.
- Midpen. (2014b). 2014 Vision Plan. Imagine the Future of Open Space.
- Milliken, R. (2006). The Central California Ethnographic Community Distribution Model, Version 2.0, with Special Attention to the San Francisco Bay Area. Cultural Resources Inventory of Caltrans District 4 Rural Conventional Highways. MS on file, S-32596, CHRIS/NWIC, Sonoma State University, Rohnert Park.
- Milliken, R., Fitzgerald R.T., Hylkema M.G., Groza R., Origer T., Bieling D.G., Leventhal A., Wiberg R.S., Gottsfield, A., Gillette, D., Bellefemine V., Strother, E., Cartier, R., and Fredrickson, D.A. (2007). Chapter 8. Punctuated Change in San Francisco Bay Area

8 REFERENCES

- [Prehistory]. In *California Prehistory: Colonization, Culture, and Complexity*, edited by Terry L. Jones and Kathryn A. Klar, pp. 99-123. Altamira Press, New York.
- Moratto, Michael J. (1984). *California Archaeology*. Academic Press, New York.
- NPS. (2016, March 15). Exploring the Fire and Archeology Interface. Retrieved July 7, 2017, from <https://www.nps.gov/archeology/sites/npsites/fire.htm>
- Richards, G. (1973). *Crossroads: People and Events of the Redwood of San Mateo County*. Gilbert Richards Publications, Woodside.
- San Mateo County. (2013, January). *San Mateo County General Plan Policies*.
- Santa Clara County. (1994, December). *Santa Clara County General Plan, Book A*.
- Santa Cruz County. (1994, May). *Santa Cruz County General Plan Chapter 5: Conservation and Open Space*.
- Skowronek, R. K. and Wizorek J. C. (1997). Archaeology at Santa Clara de Asís: The Slow Rediscovery of a Moveable Mission. *Pacific Coast Archaeological Society Quarterly* 33(3):54-92.
- Stanger, F. M. (1963). *South from San Francisco: San Mateo County, California: Its History and Heritage*. San Mateo County Historical Association, San Mateo.
- Stanger, F.M. (1967). *Sawmills in the Redwoods: Logging on the San Francisco Peninsula 1849-1967*. San Mateo County Historical Association, San Mateo.
- Uotila, A., & Levula, J. (2012). Soil Temperatures During Prescribed Burning and the Occurrence of *Rhizina undulata* Fr. *Journal of Agricultural Extension and Rural Development*, 207-210.
- Valette, J.-C., Gomendy, V., Marechal, J., Houssard, C., & Gillon, D. (1994). Heat Transfer in the Soil During Very Low-Intensity Experimental Fires: The Role of Duff and Soil Moisture Content. *International Journal of Wildland Fire*, 225-237.

Section 4.6: Geology and Soils

- Brabb, E. E., Graymer, R. W., & Jones, D. L. (1998). *Geology of the Palo Alto 3 x 60 Minute Quadrangle, California: A Digital Database. United States Geological Survey Open File Report Map OF-98-348 and Miscellaneous Investigation Series Map MG-2332, scale 1:62,500.*
- Brabb, E. E.; Graymer, R. W.; Jones, D. L. (1998). *Geology of the Onshore Part of San Mateo County, California: A Digital Database. United States Geological Survey Open File Report Map 98-137, scale 1:62,500.*

8 REFERENCES

- Brabb, E., & Pampeyan, E. H. (1983). Geologic Map of San Mateo County, California. *USGS Miscellaneous Investigation Series Map I-1257-A*.
- Brabb, E.E. (1980). Preliminary Geologic Map of La Honda and San Gregorio Quadrangles, San Mateo County, California. *United States Geological Survey Open File Report Map OF-80-245*.
- Brabb, E.E.; Pampeyan, E. H. (1972). Preliminary Map of Landslides in San Mateo County, California. *USGS Miscellaneous Field Studies Map MF-355*.
- CGS. (2002, September). Earthquake Zones of Required Investigation. *Los Gatos Quadrangle*.
- CGS. (2005, August). Earthquake Zones of Required Investigation. *Castle Rock Ridge; Mindego Hill Quadrangles*.
- CGS. (2019, April). Earthquake Zones of Required Investigation. *Woodside Quadrangle*.
- Clark, J. C. (1981). Stratigraphy, Paleontology, and Geology of the Central Santa Cruz Mountains, California Coast Ranges. Geological Survey Professional Paper 1168. U.S. Geological Survey.
- Department of Conservation. (2020, July). Areas with potential for naturally occurring asbestos.
- DWR. (2016, December 22). California's Groundwater. *Bulletin 118 - Interim Update 2016*.
- Ellen, S. D., Mark, R. K., Wieczorek, G. F., Ramsey, D. W., & May, T. E. (1997). Map Showing Principal Debris-Flow Source Areas in the San Francisco Bay Region, California. U.S. Geological Survey.
- Graymer, R. W., Moring, B. C., Saucedo, G. J., Wentworth, C. M., Brabb, E. E., & Knudsen, K. L. (2006). *Geologic map of the San Francisco Bay region: U.S. Geological Survey, Scientific Investigations Map, Report 2918*.
- Helley & Lajoie. (1979). Flatland Deposits of the San Francisco Bay Region, California – Their Geology and Engineering Properties, Their Importance to Comprehensive Planning. USGS Professional Paper 943.
- Keller, G., & Sherar, J. (2003). Low-Volume Roads Engineering: Best Management Practices Field Guide. USDA Forest Service.
- Lajole, K. R., Helley, E. J., Nichols, D. R., & Burke, D. B. (1974). Geologic Map of Unconsolidated and Moderately Consolidated Deposits of San Mateo County, California. *United States Geological Survey Miscellaneous Field Studies Map MF-575*, scale 1:62,500.
- Lang, D., & McDonald, G. W. (2005, January 14). Maintaining Groundcover to Reduce Erosion and Sustain Production. *NSW Department of Primary Industries*.

8 REFERENCES

- McClelland, D. E., Foltz, R. B., Falter, C. M., Wilson, W. D., Cundy, T., Schuster, R. L., . . . Heinemann, R. (1998). The Relative Effects of Landslides Resulting From Episodic Storms on a Low-Volume Road System in Northern Idaho. In USDA, Engineering Field Notes: Engineering Technical Information System (pp. 7-22).
- Megahan, W. F., Day, N. F., & Bliss, T. M. (1978). Landslide Occurrence in the Western and Central Northern Rocky Mountain Physiographic Province in Idaho.
- Midpen. (2012, August). La Honda Creek Open Space Preserve Master Plan.
- Midpen. (2014a, September 26). Integrated Pest Management Program Draft EIR.
- Midpen. (2014b, December). Resource Management Policies.
- Midpen. (2019). MROSD Preserve Areas GIS dataset.
- Midpen. (2020, March). Wildland Fire Resiliency Program.
- Mualchin, L. (1996). A Technical Report to Accompany the CALTRANS California Seismic Hazard Map 1996 Based on Maximum Credible Earthquakes.
- Norris, R. M., & Webb, R. W. (1976). *Geology of California*. New York: John Wiley and Sons.
- NRCS. (2020, June 25). Custom Soil Resource Report for San Mateo Area, California; San Mateo County, Eastern Part, and San Francisco County, California; Santa Clara Area, California, Western Part; and Santa Cruz County, California.
- Rice, S. J., Smith, T. C., & Strand, R. G. (1976). Geology for planning, central and southeastern Marin County, California. California Division of Mines and Geology.
- San Mateo County. (2013, January). San Mateo County General Plan Policies.
- Santa Clara County. (1994, December). Santa Clara County General Plan, Book B.
- Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 5: Conservation and Open Space.
- SVP. (2010). Standard Procedures for the Assessment and Mitigation of Adverse Impacts to Paleontological Resources. *Society of Vertebrate Paleontology*.
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.
- USDA. (1917). Reconnaissance Soil Survey of the San Francisco Bay Region.
- USDA. (1991). Soil Survey of San Mateo County, Eastern Part, and San Francisco County, California.

8 REFERENCES

- USDA. (2015). Supplement to the Soil Survey of Santa Clara Area, California, Western Part.
- USFS. (2018). *Serpentine Soils and Plant Adaptations*. Retrieved from <https://www.fs.fed.us/wildflowers/beauty/serpentine/adaptations.shtml>
- USFWS. (1998, September 30). Recovery Plan for Serpentine Soil Species of the San Francisco Bay Area.
- USGS. (1997). *Landslides*. USGS GIS dataset.
- USGS. (2000). Preliminary maps of Quaternary deposits and liquefaction susceptibility, nine-county San Francisco Bay region, California: a digital database.
- USGS. (2005). General Distribution of Geologic Materials in The San Francisco Bay Region, California: A Digital Map Database. Open-File Report 97-744.
- USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.
- USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.
- USGS. (2020). USGS 3D Elevation Program (3DEP) Bare Earth DEM Dynamic Service. Retrieved from <https://elevation.nationalmap.gov/arcgis/rest/services/3DEPElevation/ImageServer>
- Weber, G. E., & Cotton, W. R. (1980). Geologic Investigation of Recurrence Intervals and Recency of Faulting Along the San Gregorio Fault Zone, San Mateo County, California.
- Wentworth, C. M., Jr., M. C., McLaughlin, R. J., & Graymer, R. W. (1999). Preliminary Geologic Description of the San Jose 30 X 60 Minute Quadrangle California. *Open-File Report 98-795. U.S. Geological Survey*.
- Ziemer, R. R. (1981). Roots and the stability of forested slopes. *Erosion and Sediment Transport in Pacific Rim Steeplands*. IAHS, Publ. No. 132, 343-361.

Section 4.7: Greenhouse Gas Emissions

- AMBAG. (2018, April). The AMBAG Quarterly.
- BAAQMD. (2015, January). Bay Area Emissions Inventory Summary Report: Greenhouse Gases Base Year 2011.
- BAAQMD. (2017, March). Greenhouse Gas Emissions Estimates and Draft Forecasts. *Update and Work in Progress*.
- CAL FIRE. (2016). *Vegetation Treatment Program Environmental Impact Report*. Sacramento.
- CAL FIRE. (2018a, May). California Forest Carbon Plan. Sacramento: California Department of Forestry and Fire Protection, California Natural Resources Agency, and California EPA.

8 REFERENCES

- CAL FIRE. (2018b). Wildfire Activity Statistics 2018.
- CARB. (2007, November 19). *California Greenhouse Gas Inventory for 1990-2004 – by IPCC Category*. Retrieved January 22, 2020, from https://ww3.arb.ca.gov/cc/inventory/archive/tables/ghg_inventory_ipcc_90_04_sum_2007-11-19.pdf
- CARB. (2014, May). *First Update to the Climate Change Scoping Plan: Building on the Framework Pursuant to AB 32*. Retrieved January 21, 2020, from http://www.arb.ca.gov/cc/scopingplan/2013_update/first_update_climate_change_scoping_plan.pdf
- CARB. (2016a). *Proposed Short-Lived Climate Pollutant Reduction Strategy*. Sacramento.
- CARB. (2016b, June 17). *California Greenhouse Gas Emission Inventory 2000-2014 – Trends of Emissions and Other Indicators*. Retrieved 2016
- CARB. (2016c, May). Mobile Source Strategy.
- CARB. (2017a, November). California's 2017 Climate Change Scoping Plan.
- CARB. (2017b, January 18). *The Advanced Clean Cars Program*. Retrieved January 22, 2020, from <https://www.arb.ca.gov/msprog/acc/acc.htm>
- CARB. (2017c, May). Technical Documentation for California's 2001-2010 Forest and Other Natural Lands Carbon and Emission Inventory.
- CARB. (2019a). *California Greenhouse Gas Emissions for 2000 to 2017: Trends of Emissions and Other Indicators*.
- CARB. (2019b, August 12). California Greenhouse Gas Inventory for 2000-2017 — by IPCC Category. Retrieved January 22, 2020, from https://ww3.arb.ca.gov/cc/inventory/data/tables/ghg_inventory_ipcc_sum_2000-17.pdf
- CARB. (2020, June 17). California Wildfire Burn Acreage and Preliminary Emissions Estimates.
- Carlson, C. H., Dovrowski, S. Z., & Safford, H. D. (2012). Variation in tree mortality and regeneration affect forest carbon recovery following fuel treatments and wildfire in the Lake Tahoe Basin, California, USA. Carbon balance and management.
- CNRA. (2018). California's Fourth Climate Change Assessment. Statewide Summary Report.
- Flores, A. (2020, July 2). BAAQMD Environmental Planner. (C. Gilleran, Interviewer)
- Frisbey, D. (2020, June 29). MBARD Planning and Air Monitoring Manager. (C. Gilleran, Interviewer)

8 REFERENCES

- Hurteau, M. D., Koch, G. W., & Hungate, B. A. (2008). Carbon protection and fire risk reduction: Toward a full accounting of forest carbon offsets. *Frontiers in Ecology and the Environment*, 493-498.
- Hyde, Josh and Eva K. Strand. (2019, May). *Comparing Modeled Emissions from Wildfire and Prescribed Burning of Post-Thinning Fuel: A Case Study of the 2016 Pioneer Fire*. Department of Forest, Rangeland, and Fire Sciences, College of Natural Resources, University of Idaho.
- IPCC. (2013). Climate Change 2013 The Physical Science Basis. *Working Group I Contribution to the Fifth Assessment Report of IPCC*.
- MBARD. (2016, February). Guidelines for Implementing the California Environmental Quality Act.
- Midpen. (2014a, December). Resource Management Policies.
- Midpen. (2014b). 2014 Vision Plan. *Imagine the Future of Open Space*.
- Midpen. (2018, October). Climate Action Plan.
- Moghaddas, J. J., Roller, G. B., Long, J. W., Saah, D. S., Mortiz, M. A., Stark, D. T., Gunn, J. S. (2018, August). Fuel Treatment for Forest Resilient and Climate Mitigation: A Critical Review for Coniferous Forests of California. California Natural Resources Agency.
- MTC. (2017, July). Plan Bay Area 2040.
- Ryan, M. G., Harmon, M. E., Birdsey, R. A., Giardina, C. P., Heath, L. S., Houghton, R. A., Skog, K. E. (2010). A Synthesis of the Science on Forests and Carbon for U.S. Forests. Ecological Society of America.
- San Mateo County. (2013, June). San Mateo County General Plan Energy and Climate Change Element.
- Santa Clara County. (2015, August 25). Santa Clara County General Plan Health Element.
- Scharlemann, J. P., Tanner, E. V., Hiederer, R., & Kapos, V. (2014). Global Soil Carbon: Understanding and Managing the Largest Terrestrial Carbon Pool. *Carbon Management*, 81-91.
- Shaw, R., Pendleton, L., Cameron, D., Morris, B., Bratman, G., Bachelet, D., Daly, C. (2009, March). The impact of climate change on California's ecosystem services. California Climate Change Center.
- Thompson, T. (2008). *Forestry and Climate Change*. Journal of Forestry.

8 REFERENCES

- USEPA. (2017, July 11). *Endangerment and Cause or Contribute Findings for Greenhouse Gases under the Section 202(a) of the Clean Air Act*. Retrieved January 22, 2020, from <https://www.epa.gov/ghgemissions/endangerment-and-cause-or-contribute-findings-greenhouse-gases-under-section-202a-clean>
- USFS. (2017, June). Considering Forest and Grassland Carbon in Land Management.
- Wayburn, L. A., Franklin, J. F., Gordon, J. C., Binkley, C. S., Mladenoff, D. J., & Jr., N. L. (2007). *Forest Carbon in the United States: Opportunities and Options for Private Lands*. Pacific Forest Trust, Inc.
- Wiechmann, M. H. (2015). The carbon balance of reducing wildfire risk and restoring process: an analysis of 10-year post-treatment carbon dynamics in a mixed conifer forest. *Climatic Change*, 709-719.
- Wiedinmyer, C., & Hurteau, M. (2010). Prescribed fire as a means of reducing forest carbon emissions in the western United States. *Environmental Science & Technology*, 1926–1932.
- World Population Review. (2020). *California Counties*. Retrieved from <http://worldpopulationreview.com/us-counties/ca/san-benito-county-population/>

Section 4.8: Hazards, Hazardous Materials, and Wildland Fire

- Anderson, M. K. (2013). *Tending the wild: Native American knowledge and the management of California's natural resources*. University of California Press.
- BAAQMD. (2013, June 19). Regulation 5 Open Burning.
- CAL FIRE. (2018, April). Santa Cruz County San Mateo County. *Community Wildfire Protection Plan*.
- CAL FIRE. (2019, June 24). California Vegetation Treatment Program Draft Environmental Impact Report.
- CAL FIRE. (2020, April). Fire Perimeters GIS dataset.
- Doran, J. D., Randall, C. K., & Long, A. J. (2004). *Fire in the Wildland-Urban Interface: Selecting and Maintaining Firewise Plants for Landscaping*. University of Florida IFAS Extension.
- DPR. (2014, June). *Community Guide to Recognizing & Reporting Pesticide Problems*.
- DTSC. (2020). *EnviroStor*. Retrieved from <https://www.envirostor.dtsc.ca.gov/public/>
- Fernandes, P. M., & Botelho, H. S. (2003). A review of prescribed burning effectiveness in fire hazard reduction. *International Journal of Wildland Fire*, 117-128.
- Fishel, F. M. (2018). *Pesticide Fires*. Publication #PI223. University of Florida IFAS Extension.

8 REFERENCES

- Geocon Consultants. (2018, March). Phase II Environmental Site Assessment Report. Abandoned Oil Production Facilities Purisima Uplands Property.
- Geocon Consultants. (2019, January). Phase II Environmental Site Assessment Report. Former Dump Site and Village: Bear Creek Redwoods Preserve.
- Hébert, A. (2020, October 5). Senior Resource Management Specialist at Midpen. (C. Gilleran, Interviewer)
- MBARD. (2014, February 19). Regulation IV, Rule 438.
- Midpen. (2014a). Environmental Impact Report for the Integrated Pest Management Program. Los Altos: Ascent Environmental, Inc.
- Midpen. (2014b, December). Resource Management Policies.
- Midpen. (2018). 2018 Annual IPM Report.
- Midpen. (2019a). MROSD Preserve Areas GIS dataset.
- Midpen. (2019b, February 27). Addendum to the Environmental Impact Report. Integrated Pest Management Program. Blankinship & Associates, Inc.
- Moghaddas, J. J., Roller, G. B., Long, J. W., Saah, D. S., Mortiz, M. A., Stark, D. T. Gunn, J. S. (2018). California Forest Carbon Plan. Fuel Treatment for Forest Resilience and Climate Mitigation: A Critical Review for Coniferous Forests of California. CNRA.
- National Wildfire Coordinating Group. (2019). *Glossary of Wildland Fire, PMS 205*. Retrieved January 23, 2020, from <https://www.nwccg.gov/glossary/a-z/sort/w?combine=>
- Ninyo & Moore. (2012, April 16). Remedial Action Completion Report Cooley Landing.
- Quitmeyer, C. J., Bopp, J. A., Stephens, R. M., Karhu, R., & Anderson, S. (2004, December). High Tensile Electric Fence: Phase 2 - Liability Issues, Maintenance Costs, and Containment of Bison. Wyoming Cooperative Fish and Wildlife Research Unit.
- Rincon Consultants, Inc. (2020, July 14). Remedial Action Plan . Historical Unpermitted Dump at Madonna Creek Ranch Half Moon Bay, California.
- San Mateo County. (2013, January). San Mateo County General Plan Policies.
- Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.
- Santa Clara County. (2015, August 25). Santa Clara County General Plan. *Health Element*.
- Santa Clara County. (2016, August). Santa Clara County Community Wildfire Protection Plan.

8 REFERENCES

- Santa Clara County ALUC. (2016, November 16). Comprehensive Land Use Plan Santa Clara County. Palo Alto Airport.
- Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 6: Public Safety and Noise.
- Santa Cruz County. (2019, December 10). Santa Cruz County Code. *Chapter 7.92 Fire Code*.
- Shahbazian, M. (2018, March 28). Response to NDAI Request, Almaden Air Force Station (AFS), Santa Clara County.
- Stephens, S. L., & Fry, D. L. (2005). Fire history in coast redwood stands in the northeastern Santa Cruz Mountains, California. *Fire Ecology*, 2-19.
- Stevens, R., Aljoe, H., Forst, T. S., Motal, F., & Shankles, K. (1997, April). *How Much Does It Cost to Burn?* Rangelands, 16-19.
- SWRCB. (2020). *GeoTracker*. Retrieved from <https://geotracker.waterboards.ca.gov/>
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.
- Tetra Tech, Inc. (2010, February). Catchment Basin Soil Treatment Work Plan. Former Almaden Air Force Station Formerly Used Defense Site #J09CA0999.
- USDA. (2014, October 30). *Scoping/Screening Level Risk Assessment on Clethodim: Final Report*. Retrieved July 14, 2020, from https://www.fs.fed.us/foresthealth/pesticide/pdfs/Clethodim_Report.pdf
- USEPA. (2017). *Overview of Risk Assessment in the Pesticide Program*. Retrieved from <https://www.epa.gov/pesticide-science-and-assessing-pesticide-risks/overview-risk-assessment-pesticide-program>
- USEPA. (2018). *About Pesticide Registration*. Retrieved from <https://www.epa.gov/pesticide-registration/about-pesticide-registration>
- USEPA. (2020, January 27). Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and Federal Facilities.
- USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.
- USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.
- Washington State Department of Transportation. (n.d.). *Aminopyralid Roadside Vegetation Management Herbicide Fact Sheet*. Retrieved July 14, 2020, from https://www.fs.usda.gov/nfs/11558/www/nepa/101135_FSPLT3_2537845.pdf

8 REFERENCES

- Weir, J. (2009). *Conducting Prescribed Fires: A Comprehensive Manual*. Texas A&M University Press, College Station.
- Weir, J., Twidwell, D., & Wonkka, C. L. (2015). *Prescribed Burn Association Activity, Needs, and Safety Record: a survey of the Great Plains*. Great Plains Fire Science Exchange. Retrieved from https://d1wqtxts1xzle7.cloudfront.net/42063087/PBASurveyWeiretal2015-6.pdf?1454606180=&response-content-disposition=inline%3B+filename%3DPrescribed_Burn_Association_Activity_Nee.pdf&Expires=1594838814&Signature=YFHyH9qJxT4sIaseREOdJQNDQxe4MmyqYFnIKv4JKPiV
- Wildland Fire Lessons Learned Center. (2013). *2012 Escaped Prescribed Fire Review Summary*. Lessons Learned from Escaped Prescribed Fires. Retrieved from <https://www.wildfirelessons.net/orphans/viewincident?DocumentKey=8bcbdeb7-875e-48ef-96ed-7d43ff602eb2>
- Wildung, D. (2001). *Flame Burning for Weed Control and Renovation with Strawberries*. Greenbook 2001. University of Minnesota Department of Agriculture.
- Wolfe, B. H. (2012, July 13). Approval of the April 16, 2012, Remedial Action Completion Report Cooley Landing, 2100 Bay Road, East Palo Alto, San Mateo County. San Francisco Bay Regional Water Quality Control Board.

Section 4.9: Hydrology and Water Quality

- Bêche, L. A., Stephens, S. L., & Resh, V. H. (2005). Effects of prescribed fire on a sierra Nevada (California, USA) stream and its riparian zone. *Forest Ecology and Management*, 37-59.
- California Water Service. (2016, June). 2015 Urban Water Management Plan. *Midpeninsula District*.
- DWR. (2016, December 22). California's Groundwater. *Bulletin 118 - Interim Update 2016*.
- DWR. (2018). *Groundwater Basin Boundary Assessment Tool*. Retrieved from <https://gis.water.ca.gov/app/bbat/>
- DWR. (2019, April). Sustainable Groundwater Management Act 2019 Basin Prioritization.
- Google Earth. (2020). *Map showing waterways within watersheds near Midpen lands*. Retrieved from earth.google.com/web/
- J. G. Cawson, G. J. (2012). Surface runoff and erosion after prescribed burning and the effect of different fire regimes in forests and shrublands: a review. *International Journal of Wildland Fire*, 857-872.

8 REFERENCES

- Lang, D., & McDonald, G. W. (2005, January 14). Maintaining Groundcover to Reduce Erosion and Sustain Production. NSW Department of Primary Industries.
- Midpen. (2014a, December). Resource Management Policies.
- Midpen. (2014b). 2014 Vision Plan. *Imagine the Future of Open Space*.
- Midpen. (2014c). Environmental Impact Report for the Integrated Pest Management Program. Ascent Environmental, Inc.
- Midpen. (2019). MROSD Preserve Areas GIS dataset.
- Midpen. (2020). *Preserves*. Retrieved from <https://www.openspace.org/preserves>
- San Mateo County. (2013, January). San Mateo County General Plan Policies.
- Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.
- Santa Clara County. (2015, August 25). Santa Clara County General Plan. *Health Element*.
- SFBCDC. (1996). San Francisco Bay Plan.
- SFBCDC. (2011, October 6). Living with a Rising Bay: Vulnerability and Adaptation in San Francisco Bay and on its Shoreline.
- SFRWQCB. (2017, May 4). San Francisco Bay Basin (Region 2) Water Quality Control Plan (Basin Plan).
- Sweeney, B. W. (2014). Streamside Forest Buffer Width Needed to Protect Stream Water Quality, Habitat, and Organisms: A Literature Review. *Journal of the American Water Resources Association*, 560-584.
- SWRCB. (2018a, April 6). 2014-2016 Integrated Report - 303(d) List.
- SWRCB. (2018b). Final California 2018 Integrated Report (303(d) List/305(b) Report). *Los Gatos Creek, Lower*.
- Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.
- USDA. (1917). Reconnaissance Soil Survey of the San Francisco Bay Region California.
- USDA. (1991). Soil Survey of San Mateo County, Eastern Part, and San Francisco County, California.
- USDA. (2015). Supplement to the Soil Survey of Santa Clara Area, California, Western Part.
- USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.

8 REFERENCES

- USGS. (2015). National Hydrography Dataset - Watersheds and Sub Basins GIS dataset.
- USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.
- Valley Water. (2016, November). 2016 Groundwater Management Plan.
- Valley Water. (2018). Annual Groundwater Report for Calendar Year 2018.

Section 4.10: Noise

- Brueck, L. (2008). *Noise Emissions and Exposure from Mobile Woodchippers*. Derbyshire: HSE Books.
- Caltrans. (1998, October). Technical Noise Supplement. *A Technical Noise Supplement to the Traffic Noise Analysis Protocol*.
- Caltrans. (2009, November). Technical Noise Supplement.
- Caltrans. (2011, May). Traffic Noise Analysis Protocol for New Construction, Reconstruction, and Retrofit Barrier Projects.
- CHC. (n.d.). *Common Environmental Noise Levels*. Retrieved from The Noise Center: <http://chchearing.org/noise/common-environmental-noise-levels/>
- Chih-Fang Fang, D.L. (2003). Investigation of the noise reduction provided by tree belts. *Landscape and Urban Planning* 63 (2003) 187–195.
- Eldred, K. M. (1981, October). Standards and Criteria for Noise Control - An Overview. *In Noise Control Engineering* (pp. 16-23).
- FHWA. (2017, August 24). *Highway Traffic Noise Analysis and Abatement Policy and Guidance*. Retrieved from Polguide: https://www.fhwa.dot.gov/environMent/noise/regulations_and_guidance/polguide/polguide02.cfm
- FTA. (2018, September). Transit Noise and Vibration Impact Assessment Manual.
- Herrington, L., & Brock, C. (1977). Propagation of Noise over and through a Forest Stand. *Proceedings of the conference on metropolitan physical environment* (pp. 226-228). Upper Darby, Pennsylvania: Department of Agriculture, U.S. Forest Service, Northeastern Forest Experiment Station.
- Husqvarna. (n.d.). *Products*. Retrieved June 12, 2017.
- Midpen. (2014a, December). Resource Management Policies.
- Midpen. (2014b). 2014 Vision Plan. *Imagine the Future of Open Space*.

8 REFERENCES

- Olsen, W. O. (1998). Average Speech Levels and Spectra in Various Speaking/Listening Conditions: A Summary of the Pearson, Bennett, and Fidell (1977) Report. *American Journal of Audiology*, 1059-0889.
- Polaris. (2014). *Ranger Head to Head*. Retrieved from <http://www.langdonoutdoors.com/fckimages/pdf/us-ranger-competitive.pdf>
- Ray, E. F. (2013). *Industrial Noise Series Part I: Fundamental of Environmental Sound*.
- Sales, G., RC, H., Peyvandi, A., & Shield, B. (1997). Noise in dog kenneling: Is barking a welfare problem for dogs? *Applied Animal Behaviour Science*, 321-329.
- Salomons, E. (2001). *Computational Atmospheric Acoustics*. Kluwer Academic Publishers.
- San Mateo County. (2013, January). San Mateo County General Plan Policies.
- San Mateo County. (2019). Code of Ordinances, 4.88 Noise Control.
- Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.
- Santa Clara County. (2019, December). Code of Ordinances.
- Santa Clara County ALUC. (2016, November 16). Comprehensive Land Use Plan Santa Clara County. *Palo Alto Airport*.
- Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 6: Public Safety and Noise.
- Santa Cruz County. (2019, November 5). Santa Cruz County Code, Chapter 8.30.
- Truax, B. (1999). *Handbook for Acoustic Ecology*. Simon Fraser University.
- UCSF. (2018). *Final EIR for the Mount Sutro Reserve Vegetation Management Plan*. San Francisco: University of California San Francisco.
- USDOT. (1995, June). Highway Traffic Noise Analysis and Abatement Policy and Guidance.
- USDOT. (2008, December 8). Federal Highway Administration's Roadway Construction Noise Model. Software Version 1.1.
- USEPA. (1971, December 31). Community Noise.
- USFS. (2006, July 31). Transmittal of Guidance: Estimating the Effects of Auditory and Visual Disturbance to NSO and MM in Northwestern California.
- Weeks, C. A. (2008, August). A Review of Welfare in Cattle, Sheep and Pig Lairages, with Emphasis on Stocking Rates, Ventilation and Noise. *Animal Welfare*, 275-284.

8 REFERENCES

Wyle Laboratories. (1994, September 30). Wyle Research Report WR 94-23. *Raleigh-Durham International Airport New Construction Acoustical Design Guide*.

Section 4.11: Recreation

California Department of Parks and Recreation. (2020). *Find a California State Park*. Retrieved from <https://www.parks.ca.gov/ParkIndex>

Midpen. (2012, April). Strategic Plan.

Midpen. (2014a, December). Resource Management Policies.

Midpen. (2014b). 2014 Vision Plan. *Imagine the Future of Open Space*.

Midpen. (2014c, February 12). Regulations for Use of Midpeninsula Regional Open Space District Lands.

Midpen. (2018). Surrounding Open Space GIS dataset.

Midpen. (2019a, June 26). Budget and Action Plan FY 2019-20.

Midpen. (2019b). MROSD Preserve Areas GIS dataset.

POST. (2002). Dirscoll Ranch: A Major Campaign Acquisition. Retrieved from <https://openspacetrust.org/downloads/newsletters/Landscapes-SP02.pdf>

San Mateo County. (2013, January). San Mateo County General Plan Policies.

San Mateo County. (2020). *County Parks*. Retrieved from <https://parks.smcgov.org/county-parks>

Santa Clara County. (1994, December). Santa Clara County General Plan, Book A.

Santa Clara County. (2014, January 23). *Santa Clara County Parks*. Retrieved from https://www.sccgov.org/sites/parks/parkfinder/Pages/parkfinder.aspx#sccgov_master_page_container

Santa Cruz County. (1994, May). Santa Cruz County General Plan Chapter 7: Parks, Recreation and Public Facilities.

Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.

USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.

USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.

Weir, J., Twidwell, D., Wonkka, C. L. (2015). Prescribed Burn Association Activity, Needs, and Safety Record: a survey of the Great Plains. Great Plains Fire Science Exchange.

8 REFERENCES

Retrieved from
https://d1wqtxts1xzle7.cloudfront.net/42063087/PBASurveyWeiretal2015-6.pdf?1454606180=&response-content-disposition=inline%3B+filename%3DPrescribed_Burn_Association_Activity_Nee.pdf&Expires=1594838814&Signature=YFHyH9qJxT4sIaseREOdJQNDQxe4MmyqYFnlKv4JKPiV

Wildland Fire Lessons Learned Center. (2013). 2012 Escaped Prescribed Fire Review Summary. *Lessons Learned from Escaped Prescribed Fires*. Retrieved from
<https://www.wildfirelessons.net/orphans/viewincident?DocumentKey=8bcbdeb7-875e-48ef-96ed-7d43ff602eb2>

Section 4.12: Transportation

Midpen. (2014a). 2014 Vision Plan. *Imagine the Future of Open Space*.

Midpen. (2014b, February 12). Regulations for Use of Midpeninsula Regional Open Space District Lands.

Midpen. (2020). *Preserves*. Retrieved from Midpeninsula Regional Open Space:
<https://www.openspace.org/preserves>

OPR. (2017, November). Technical Advisory on Evaluating Transportation Impacts in CEQA.

Santa Clara County. (1994, December). Santa Clara County General Plan, Book B.

Chapter 5: Other CEQA Considerations

Midpen. (2014). 2014 Vision Plan. *Imagine the Future of Open Space*.

Midpen. (2019). MROSD Preserve Areas GIS dataset.

Tele Atlas North America, Inc. (2018). U.S. and Canada Detailed Streets GIS dataset. *ESRI® Data & Maps: StreetMap™*. ESRI.

USEPA. (2010, January). *Integrated Science Assessment for Carbon Monoxide*.

USEPA. (2017). *Carbon Monoxide Concentrations*.

USGS. (2013). USGS NED 1/3 Arc Second DEM Raster dataset.

USGS. (2016). National Hydrography Dataset Waterbodies GIS dataset.

Valley Water. (2016, November). 2016 Groundwater Management Plan.

Chapter 6: Alternatives to the Program

- CARB. (2013). *Almanac Emission Projection Data (published in 2013)*. Retrieved from <https://www.arb.ca.gov/app/emsmv/2013/emssumcat.php>
- CARB. (2017, May). Technical Documentation for California's 2001-2010 Forest and Other Natural Lands Carbon and Emission Inventory.
- CARB. (2020a, June 17). California Wildfire Burn Acreage and Preliminary Emissions Estimates.
- CARB. (2020b, June 17). *Preliminary Estimates of Fire Emissions, 2000-2019*. Retrieved from <https://ww2.arb.ca.gov/wildfire-emissions>
- CNRA. (2018). California Forest Carbon Plan.
- Forestland Steward. (2013). *Fire: An Important Management Tool*. Retrieved from CALFIRE: <http://calfire.ca.gov/foreststeward/pdf/news-spring2013b.pdf>
- Hyde, Josh and Eva K. Strand. (2019, May). *Comparing Modeled Emissions from Wildfire and Prescribed Burning of Post-Thinning Fuel: A Case Study of the 2016 Pioneer Fire*. Department of Forest, Rangeland, and Fire Sciences, College of Natural Resources, University of Idaho.
- Keeley, J.E., Brennan, T., Pfaff, A.H. (2008). Fire severity and ecosystem responses following crown fires in California shrublands. *Ecological Applications* 18:1530–1546.
- Liu, X., Huey, L. G., Yokelson, R. J., Selimovic, V., Simpson, I. J., Müller, M., . . . Day, D. A. (2017). Airborne measurements of western U.S. wildfire emissions: Comparison with prescribed burning and air quality implications. *Journal of Geophysical Research: Atmospheres*, 6108-6129.
- Loudermilk, E. L., Stanton, A., Scheller, R. M., Dilts, T. E., & Peter J. Weisberg, C. S. (2014, March 2). Effectiveness of fuel treatments for mitigating wildfire risk and sequestering forest carbon: A case study in the Lake Tahoe Basin. *Forest Ecology and Management*.
- Ottmar, Roger D. (2013). Wildland fire emissions, carbon, and climate: Modeling fuel consumption. *Forest Ecology and Management*, 41-50.
- Susan J. Prichard, N. A. (2020). Fuel treatment effectiveness in the context of landform, vegetation, and large, wind-driven wildfires. *Ecological Applications*. doi:10.1002/eap.2104
- Wiedinmyer, C., & Hurteau, M. (2010). Prescribed fire as a means of reducing forest carbon emissions in the western United States. *Environmental Science & Technology*, 1926–1932.